BRAIN RESEARCH

VOL. 585 NOS. 1/2 | CONTENTS | 10 JULY 1992

Announcement from the Publisher vii

Research Reports

Ibotenic acid lesion of the ventral hippocampus differentially affects dopamine and its metabolites in the nucleus accumbens and prefrontal cortex in the rat
B.K. Lipska, G.E. Jaskiw, S. Chrapusta, F. Karoum and D.R. Weinberger (USA) 1

Inhibition of a cutaneous nociceptive reflex by a noxious visceral stimulus is mediated by spinal cholinergic and descending serotonergic systems in the rat
M. Zhuo and G.F. Gebhart (USA) 7

Development of neural lobe-like neurovascular contact regions after intrahypothalamic transection of the hypothalamo-neurohypophysial tract
H.-D. Dellmann and J. Carithers (USA) 19

The action of CGS-19755 on the redox enhancement of NMDA toxicity in rat cortical neurons in vitro
E. Aizenman and K.A. Hartnett (USA) 28

Effects of intra-amygdala injections of NMDA receptor antagonists on acquisition and retention of inhibitory avoidance
M. Kim and J.L. McGaugh (USA) 35

Enhanced responses of nucleus accumbens neurons in male rats to novel odors associated with sexually receptive females
C.H.K. West, A.N. Clancy and R.P. Michael (USA) 49

Heterogeneity in EC_{50} and n_H of $GABA_A$ receptors on dorsal root ganglion neurons freshly isolated from adult rats
G. White (USA) 56

The cell recognition molecule, cognin, mediates choline acetyltransferase activity in embryonic chick retina
G.D.V. Sagar, A.S.M.K. Rao, Y. Ren and R.E. Hausman (USA) 63

Vagal afferent-mediated inhibition of a nociceptive reflex by i.v. serotonin in the rat. II. Role of 5-HT receptor subtypes
S.T. Meller, S.J. Lewis, M.J. Brody and G.F. Gebhart (USA) 71

Transferrin receptors of rat and human brain and cerebral microvessels and their status in Alzheimer's disease
R.N. Kalaria, S.M. Sromek, I. Grahovac and S.I. Harik (USA) 87

Evidence that cholecystokinin-enhanced retention is mediated by changes in opioid activity in the amygdala
J.F. Flood, J.S. Garland and J.E. Morley (USA) 94

Regulation of excitatory amino acid release by *N*-methyl-D-aspartate receptors in rat striatum: in vivo microdialysis studies
G. Bustos, J. Abarca, M.I. Forray, K. Gysling, C.W. Bradberry and R.H. Roth (Chile, USA) 105

Quantitative light microscopic autoradiographic localization of α_2-adrenoceptors in the human brain
J. Pascual, C. Del Arco, A.M. González and A. Pazos (Spain) 116

Spontaneous recovery of MPTP-damaged catecholamine systems in goldfish brain areas
A. Poli, O. Gandolfi, Lucchi, R. and O. Barnabei (Italy) 128

Lipocortin-1 inhibits NMDA receptor-mediated neuronal damage in the striatum of the rat
M.D. Black, F. Carey, A.R. Crossman, J.K. Relton and N.J. Rothwell (UK) 135

Development of MEKA (phosducin), Gβ, Gγ and S-antigen in the rat pineal gland and retina
T. Babila, N.C. Schaad, W.F. Simonds, T. Shinohara and D.C. Klein (USA) 141

Opioid receptor changes in weaver mouse striatum
S.E. Loughlin, A. An and F.M. Leslie (USA) 149

Chronic MPTP treatment reduces substance P and met-enkephalin content in the basal ganglia of the marmoset
I. Pérez-Otaño, M.T. Herrero, M.R. Luquin, J.A. Obeso and J. Del Río (Spain) 156

Adrenal hormone effects on hippocampal excitatory amino acid binding
A.S. Clark and C.W. Cotman (USA) 161

Dioctanoylglycerol stimulates accumulation of [*methyl*-^{14}C]choline and its incorporation into acetylcholine and phosphatidylcholine in a human cholinergic neuroblastoma cell line
B.E. Slack, U.I. Richardson, R.M. Nitsch and R.J. Wurtman (USA) 169

Intracerebroventricular application of competitive and non-competitive NMDA antagonists induce similar effects upon rat hippocampal electroencephalogram and local cerebral glucose utilization
H.W.G.M. Boddeke, K.H. Wiederhold and J.M. Palacios (Switzerland) 177

Post-traumatic selective stimulation of glycolysis
B.J. Andersen and A. Marmarou (USA) 184

Functional compartmentalization of energy production in neural tissue
B.J. Andersen and A. Marmarou (USA) 190

(contents continued on p. 438)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

BRAIN RESEARCH

VOL. 585 NOS. 1/2 | CONTENTS | 10 JULY 1992

Announcement from the Publisher vii

Research Reports

Ibotenic acid lesion of the ventral hippocampus differentially affects dopamine and its metabolites in the nucleus accumbens and prefrontal cortex in the rat
B.K. Lipska, G.E. Jaskiw, S. Chrapusta, F. Karoum and D.R. Weinberger (USA) 1

Inhibition of a cutaneous nociceptive reflex by a noxious visceral stimulus is mediated by spinal cholinergic and descending serotonergic systems in the rat
M. Zhuo and G.F. Gebhart (USA) 7

Development of neural lobe-like neurovascular contact regions after intrahypothalamic transection of the hypothalamo-neurohypophysial tract
H.-D. Dellmann and J. Carithers (USA) 19

The action of CGS-19755 on the redox enhancement of NMDA toxicity in rat cortical neurons in vitro
E. Aizenman and K.A. Hartnett (USA) 28

Effects of intra-amygdala injections of NMDA receptor antagonists on acquisition and retention of inhibitory avoidance
M. Kim and J.L. McGaugh (USA) 35

Enhanced responses of nucleus accumbens neurons in male rats to novel odors associated with sexually receptive females
C.H.K. West, A.N. Clancy and R.P. Michael (USA) 49

Heterogeneity in EC_{50} and n_H of $GABA_A$ receptors on dorsal root ganglion neurons freshly isolated from adult rats
G. White (USA) 56

The cell recognition molecule, cognin, mediates choline acetyltransferase activity in embryonic chick retina
G.D.V. Sagar, A.S.M.K. Rao, Y. Ren and R.E. Hausman (USA) 63

Vagal afferent-mediated inhibition of a nociceptive reflex by i.v. serotonin in the rat. II. Role of 5-HT receptor subtypes
S.T. Meller, S.J. Lewis, M.J. Brody and G.F. Gebhart (USA) 71

Transferrin receptors of rat and human brain and cerebral microvessels and their status in Alzheimer's disease
R.N. Kalaria, S.M. Sromek, I. Grahovac and S.I. Harik (USA) 87

Evidence that cholecystokinin-enhanced retention is mediated by changes in opioid activity in the amygdala
J.F. Flood, J.S. Garland and J.E. Morley (USA) 94

Regulation of excitatory amino acid release by *N*-methyl-D-aspartate receptors in rat striatum: in vivo microdialysis studies
G. Bustos, J. Abarca, M.I. Forray, K. Gysling, C.W. Bradberry and R.H. Roth (Chile, USA) 105

Quantitative light microscopic autoradiographic localization of α_2-adrenoceptors in the human brain
J. Pascual, C. Del Arco, A.M. González and A. Pazos (Spain) 116

Spontaneous recovery of MPTP-damaged catecholamine systems in goldfish brain areas
A. Poli, O. Gandolfi, Lucchi, R. and O. Barnabei (Italy) 128

Lipocortin-1 inhibits NMDA receptor-mediated neuronal damage in the striatum of the rat
M.D. Black, F. Carey, A.R. Crossman, J.K. Relton and N.J. Rothwell (UK) 135

Development of MEKA (phosducin), Gβ, Gγ and S-antigen in the rat pineal gland and retina
T. Babila, N.C. Schaad, W.F. Simonds, T. Shinohara and D.C. Klein (USA) 141

Opioid receptor changes in weaver mouse striatum
S.E. Loughlin, A. An and F.M. Leslie (USA) 149

Chronic MPTP treatment reduces substance P and met-enkephalin content in the basal ganglia of the marmoset
I. Pérez-Otaño, M.T. Herrero, M.R. Luquin, J.A. Obeso and J. Del Río (Spain) 156

Adrenal hormone effects on hippocampal excitatory amino acid binding
A.S. Clark and C.W. Cotman (USA) 161

Dioctanoylglycerol stimulates accumulation of [*methyl*-^{14}C]choline and its incorporation into acetylcholine and phosphatidylcholine in a human cholinergic neuroblastoma cell line
B.E. Slack, U.I. Richardson, R.M. Nitsch and R.J. Wurtman (USA) 169

Intracerebroventricular application of competitive and non-competitive NMDA antagonists induce similar effects upon rat hippocampal electroencephalogram and local cerebral glucose utilization
H.W.G.M. Boddeke, K.H. Wiederhold and J.M. Palacios (Switzerland) 177

Post-traumatic selective stimulation of glycolysis
B.J. Andersen and A. Marmarou (USA) 184

Functional compartmentalization of energy production in neural tissue
B.J. Andersen and A. Marmarou (USA) 190

(contents continued on p. 438)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update)

(contents continued)

Dopamine receptor antagonists increase markedly the quantity of retrograde transport of HRP in the rat masseteric motoneuron
S. Kawagishi, K. Yoshino, T.E. Jones, M. Iwamoto, S. Arai and N. Amano (Japan) 196
Selective distribution of the 66-kDa neuronal intermediate filament protein in the sensory and autonomic nervous system of the guinea-pig
J.C. Vickers, F.-C. Chiu and M. Costa (Australia, USA) 205
Serotonin preferentially hyperpolarizes capsaicin-sensitive C type sensory neurons by activating 5-HT_{1A} receptors
S. Todorovic and E.G. Anderson (USA) 212
Functional correlates of selective long-term potentiation in the olfactory cortex and olfactory bulb
D.K. Patneau and J.S. Stripling (USA) 219
Transforming growth factor-β_1 differentially regulates proliferation and MHC class-II antigen expression in forebrain and brainstem astrocyte primary cultures
L.D. Johns, G. Babcock, D. Green, M. Freedman, S. Sriram and R.M. Ransohoff (USA, Canada) 229
Two types of neuroplasticities in the kindling phenomenon: effects of chronic MK-801 and methamphetamine
Y. Minabe and K. Emori (Japan) 237
Effects of septal and/or raphe cell suspension grafts on hippocampal choline acetyltransferase activity, high affinity synaptosomal uptake of choline and serotonin, and behavior in rats with extensive septohippocampal lesions
J.C. Cassel, B. Neufang, C. Kelche, F. Aiple, B.E. Will, G. Hertting and R. Jackisch (FRG, France) 243
Immunohistochemical localization of nerve growth factor in the rat pineal gland
J.E. García-Mauriño, J. Boya, F. López-Muñoz and J.L. Calvo (Spain) 255

Short Communications

Peripheral control of the antagonist muscle during unexpectedly loaded arm movements
R.W. Simmons and C. Richardson (USA) 260
Projection from the deep cerebellar nuclei to the pedunculopontine nucleus in the squirrel monkey
L.-N. Hazrati and A. Parent (Canada) 267
Recovery of consummatory feeding behavior after bilateral lesions of the cerebral–buccal connectives in *Aplysia californica*
M.L. Scott and M.D. Kirk (USA) 272
Dynamics of 7B2 and galanin expression in solitary magnocellular hypothalamic vasopressin neurons of the homozygous Brattleboro rat
B.A.T.F. Gabreëls, M.A.F. Sonnemans, N.G. Seidah, M. Chrétien and F.W. Van Leeuwen (The Netherlands, Canada) 275
Identification of a *src* family protein specifically expressed in rat astrocytes by immunohistochemistry and double immunofluorescent study
L.J.M.P. Moia, H. Matsui, H. Nishio, T. Tsuchida, M. Tokuda, T. Itano, S. Nagao and O. Hatase (Japan) 283
Chondroitin sulfate in the extracellular matrix of the medial and lateral superior olivary nuclei in the dog
Y. Atoji and Y. Suzuki (Japan) 287
Synaptic inhibition of accessory motoneurons evoked by stimulation of the trigeminal nerve in the cat
Y. Nishimura, T. Asahara, K. Higuchi and T. Tanaka (Japan) 291
Increased densities of binding sites for the 'peripheral-type' benzodiazepine receptor ligand [^{3}H]PK 11195 in rat brain following portacaval anastomosis
J.-F. Giguère, E. Hamel and R.F. Butterworth (Canada) 295
A role for protein kinase C in long term potentiation of nicotinic transmission in the superior cervical ganglion of the rat
M. Bachoo, T. Heppner, J. Fiekers and C. Polosa (Canada, USA) 299
The loss of βII-protein kinase C in the striatum from patients with Huntington's disease
T. Hashimoto, N. Kitamura, N. Saito, O. Komure, N. Nishino and C. Tanaka (Japan) 303
Intracellular calcium release in N1E-115 neuroblastoma cells is mediated by the M1 muscarinic receptor subtype and is antagonized by McN-A-343
C. Mathes, S.S.-H. Wang, H.M. Vargas and S.H. Thompson (USA) 307
Regulation of glucocorticoid receptor immunoreactivity in the rat hippocampus by androgenic-anabolic steroids
R.S. Ahima and R.E. Harlan (USA) 311
Effects of central administration of opioids on facial scratching in monkeys
D.A. Thomas, G.M. Williams, K. Iwata, D.R. Kenshalo Jr. and R. Dubner (USA) 315
Optic nerve regeneration with return of vision through an autologous peripheral nerve graft
F. Scalia and S. Roca (USA) 318
Effects of combined methysergide and mecamylamine/scopolamine treatment on spatial navigation
M. Riekkinen, P. Riekkinen, Sirviö, J. and P. Riekkinen Jr. (Finland) 322
The 'initial burst' of muscle spindle afferents with or without terminals on the bag_1 intrafusal muscle fibre
J.J.A. Scott (UK) 327
Antagonists of the NMDA receptor and allopurinol protect the olfactory cortex but not the striatum after intra-cerebral injection of kainic acid
F. Facchinetti, M. Virgili, A. Contestabile and O. Barnabei (Italy) 330
Enduring suppression of hippocampal long-term potentiation following traumatic brain injury in rat
S. Miyazaki, Y. Katayama, B.G. Lyeth, L.W. Jenkins, D.S. DeWitt, S.J. Goldberg, P.G. Newlon and R.L. Hayes (USA, Japan) 335
Calcium-dependent release of glutamate from human cerebral cortex
E. Hegstad, T.S. Haugstad, E. Hauglie-Hanssen and I.A. Langmoen (Norway) 340

(*contents continued*)

Demonstration of artifactual coupling between spinal neurons and glial cells during intracellular recording with micropipette electrodes
S.P. Schneider (USA) 343
High affinity [^{3}H]ryanodine binding sites in postmortem human brain: regional distribution and effects of calcium, magnesium and caffeine
M.B. Stein, R.A. Padua, J.I. Nagy and J.D. Geiger (Canada) 349
Basic fibroblast growth factor (bFGF) immunolocalization in the rodent outer retina demonstrated with an anti-rodent bFGF antibody
H. Gao and J.G. Hollyfield (USA) 355
Non-dopaminergic neurons in the substantia nigra project to the reticular formation around the trigeminal motor nucleus in the rat
Y. Yasui, K. Nakano, Y. Nakagawa, T. Kayahara, T. Shiroyama and N. Mizuno (Japan) 361
Puberty acceleration in female mice induced with a partially purified male urine extract: effects on catecholamine release from the olfactory bulbs and hypothalamus
D. Dluzen, X. Guan and J.G. Vandenbergh (USA) 367
Characterization and distribution of angiotensin II binding sites in fetal and neonatal astrocytes from different rat brain regions
S.P. Bottari, N. Obermüller, Y. Bogdal, K.R. Zahs and C.F. Deschepper (Switzerland, USA, Belgium) 372
Afferent projections in the spinal accessory nerve to the facial motoneurons of the cat
T. Tanaka, T. Asahara, Y. Nishimura, K. Higuchi and T. Yamamoto (Japan) 377
Structural asymmetry in the thalamofugal visual projections in 2-day-old chick is correlated with a hemispheric difference in synaptic density in the hyperstriatum accessorium
M.G. Stewart, L.J. Rogers, H.A. Davies and S.W. Bolden (UK, Australia) 381
Lewy bodies contain beta-amyloid precursor proteins of Alzheimer's disease
H. Arai, V.M.-Y. Lee, W.D. Hill, B.D. Greenberg and J.Q. Trojanowski (USA) 386
Postnatal exposure to tones alters the tuning characteristics of inferior collicular neurons in the rat
P.W.F. Poon and X. Chen (Hong Kong) 391
Divergent effects of deep cerebellar lesions on two different conditioned somatomotor responses in rabbits
C.M. Gibbs (USA) 395
Reappearance of calcitonin gene-related peptide-like immunoreactivity in the dorsal horn in long-term dorsal root transected rat
F. Piehl, U. Arvidsson, H. Johnson, Å. Dagerlind, T. Hökfelt, L. Terenius and B. Ulfhake (Sweden) 400
Inhibition of GABA-gated chloride channel function by arachidonic acid
R.D. Schwartz and X. Yu (USA) 405
Intracellular signalling systems controlling the 5α-reductase in glial cell cultures
R.C. Melcangi, F. Celotti, P. Castano and L. Martini (Italy) 411
Differential actions of acetylcholinesterase on the soma and dendrites of dopaminergic substantia nigra neurons in vitro
M. Hajós and S. Greenfield (U.K.) 416
Fluoxetine attenuates the DL-fenfluramine-induced increase in extracellular serotonin as measured by in vivo dialysis
K.E. Sabol, J.B. Richards and L.S. Seiden (USA) 421
Electron microscopic identification of lamina I axon terminations in the nucleus submedius of the cat thalamus
A. Blomqvist, A.-C. Ericson, J. Broman and A.D. Craig (Sweden, U.S.A.) 425
Axon types classified by morphometric and multivariate analysis in the rat optic nerve
J. De Juan, N. Cuenca, C. Iñiguez and E. Fernández (Spain) 431

Author Index 435

Contents 438